



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/687,418	10/16/2003	William E. Welnick	33692.03.3199	7981
23418	7590	05/20/2008	EXAMINER	
VEDDER PRICE P.C. 222 N. LASALLE STREET CHICAGO, IL 60601			MILLER, BRANDON J	
			ART UNIT	PAPER NUMBER
			2617	
			MAIL DATE	DELIVERY MODE
			05/20/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No. 10/687,418	Applicant(s) WELNICK ET AL.	
Examiner BRANDON J. MILLER	Art Unit 2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 26 February 2008.
- 2a) This action is **FINAL**.
- 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 11, 13, 14, 17, 19 and 22-28 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 11, 13, 14, 17, 19 and 22-28 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 16 October 2003 is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
- 5) Notice of Informal Patent Application
- 6) Other: _____.

DETAILED ACTION

Response to Amendment

Disposition of Claims

- I. Claims 11, 13-14, 17, 19, and 22-28 remain pending in the application.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

- II. Claims 11, 14, and 19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 11:

Claim 11 recites "a pilot strength measurement message generator...operative to produce the pilot strength measurement message including at least the long term filtered measurement data if a strongest pilot signal represented by corresponding long term filtered measurement data generated by at least one of the plurality of finger receivers is greater than a first threshold **and** wherein the pilot strength measurement message includes at least the long term filtered measurement data from the respective plurality of finger receivers if the strongest pilot signal represented by the long term filtered measurement data is less than the first threshold and greater than a second threshold, **and if** either a number of candidate pilots is greater than three, or a number of active pilots is greater than one, **otherwise**, the pilot strength measurement message includes at least the short term filtered measurement data." in lines 9-19.

Art Unit: 2617

This limitation is unclear because it does not adequately describe when the pilot strength measurement message includes at least the long term filtered measurement data. The limitation appears to indicate that the pilot strength measurement message includes at least the long term filtered measurement data if three separate and distinct conditions occur all at the same time, wherein at least two of those conditions contradict one another. For example: it is unclear how the pilot strength measurement message can include at least the long term filtered measurement data **if a** strongest pilot signal represented by corresponding long term filtered measurement data generated by at least one of the plurality of finger receivers is greater than a first threshold **and if** the strongest pilot signal represented by the long term filtered measurement data is less than the first threshold and greater than a second threshold, **and if** either a number of candidate pilots is greater than three, or a number of active pilots is greater than one.

The limitation is also unclear because it does not adequately describe when the pilot strength measurement message includes at least the short term filtered measurement data. After stating the occurrence of three separate and distinct conditions in lines 9-18 the claim states in lines 18-19 that "otherwise, the pilot strength measurement message includes at least the short term filtered measurement data. The term "otherwise" in this limitation is unclear because it does not specifically refer to any of the conditions stated in lines 9-18.

The above limitation renders the claim indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 2617

Regarding claim 14:

Claim 14 recites “receiving long term filtered measurement data corresponding to at least either a plurality of pilot signals, or short term filtered measurement data corresponding to at least one of the plurality of pilot signal” in lines 3-5. It is unclear how long term filtered measurement data can correspond to “short term filtered measurement data corresponding to at least one of the plurality of pilot signal”.

Claim 14 recites “producing a pilot strength measurement message based on one of: the long term filtered measurement data, in response to receiving the long term filtered measurement data corresponding to at least one of the plurality of pilot signals, and the short term filtered measurement data corresponding to at least one of the plurality of pilot signals; producing the pilot strength measurement message based on at least the short term filtered measurement data if a strongest pilot signal represented by corresponding long term filtered measurement data is less than a threshold...and producing the pilot strength measurement message including at least the short term filtered measurement data based on at least one of either a number of pilot signals in the active set, or a number of pilot signals in the candidate set”.

This limitation is unclear because it does not adequately describe what producing the pilot strength measurement message is based on. The limitation appears to indicate that producing the pilot strength measurement message is based on five separate and distinct conditions, wherein at least two of those conditions contradict one another. For example: it is unclear how producing the pilot strength measurement message can be based on “the short term filtered measurement data corresponding to at least one of the plurality of pilot signals” and also

Art Unit: 2617

be based on “the short term filtered measurement data if a strongest pilot signal represented by corresponding long term filtered measurement data is less than a threshold”.

The above limitations render the claim indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 19:

Claim 19 recites “producing the pilot strength measurement message including at least the long term filtered measurement data when the strongest pilot signal represented by corresponding long term filtered measurement data is less than the first drop threshold and greater than the second threshold and either when a number of candidate pilots is greater than one, or when a number of active pilots is greater than two.” in lines 3-7. The limitation is unclear because it does not adequately describe what the term “either” in line 6 refers to.

The above limitation renders the claim indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The following art rejection is based on the best possible claim interpretation in light of the rejections under 35 U.S.C. 112, second paragraph.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

III. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1,148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 2617

IV. Claims 11, 13-14, 17, 19, and 22-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tiedemann, Jr. (US 7,009,953 B2) in view of Pan et al. (US 2004/0198280 A1).

Regarding claim 11 Tiedemann, Jr. teaches a wireless device for producing a pilot strength measurement message (see col. 6, lines 41-45). Tiedemann, Jr. teaches a plurality of finger receivers each operative to receive at least one of either an active pilot signal or a candidate pilot signal operative to generate measurement data (see col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23). Tiedemann, Jr. teaches a scan search receiver also operative to receive the at least one of either the active pilot signal or the candidate pilot signal, and in response, operative to generate corresponding measurement data (see col. 8, lines 56-65). Tiedemann, Jr. teaches a pilot strength measurement message generator, operatively coupled to the plurality of finger receivers and to the scan search receiver, and operative to produce the pilot strength measurement message including at least the measurement data if a strongest pilot signal represented by corresponding measurement data generated is greater than the a first threshold (see col. 6, lines 41-45). Tiedemann, Jr. teaches wherein the pilot strength measurement message includes measurement data if a strongest pilot signal represented by the measurement data is less than a first threshold and greater than a second threshold, and if either a number of candidate pilots is greater than three, or a number of active pilots is greater than one (see col. 6, lines 35-50, add and drop threshold relates to first and second thresholds). Tiedemann, Jr. does not specifically teach finger receivers generating long term filtered measurement data; a scan search receiver generating short term measurement data; and a pilot strength measurement message including either long term filtered measurement data or short term filtered measurement

Art Unit: 2617

data based upon if received pilot signals are greater than or less than a threshold. Pan teaches using long term filtered measurement data or short term filtered measurement data according to the signal strength and characteristic of received pilot signals (see paragraphs [0038] – [0040], response time of filter relates to long term or short term measurement data).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include finger receivers generating long term filtered measurement data; a scan search receiver generating short term measurement data; and a pilot strength measurement message including either long term filtered measurement data or short term filtered measurement data based upon if received pilot signals are greater than or less than a threshold because the measurement data generated from the received pilot signals in Tiedemann, Jr. (see Tiedemann, Jr. col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23) can be filtered long or short term and the combination would allow for the improved optimization of handoff and system access that both references are concerned with (see Tiedemann, Jr. col. 2, lines 62-65 and Pan, paragraph [0018]).

Regarding claim 13 Tiedemann, Jr. teaches wherein the threshold includes a drop threshold (see col. 6, lines 48-52).

Regarding claim 14 Tiedemann, Jr. teaches a method for producing a pilot strength measurement message (see col. 6, lines 36-45). Tiedemann, Jr. teaches receiving measurement data corresponding to at least either a plurality of pilot signals (see col. 8, lines 18-22 & 56-65). Tiedemann, Jr. teaches producing a pilot strength measurement message based on measurement data corresponding to at least one of the plurality of pilot signals (see col. 6, lines 35-46 and col. 8, lines 56-65). Tiedemann, Jr. teaches producing a pilot strength measurement message based

Art Unit: 2617

on at least the measurement data if a strongest pilot signal represented by corresponding measurement data is less than a threshold (see col. 6, lines 36-41). Tiedemann, Jr. teaches receiving an active set of pilot signals and a candidate set of pilot signals (see col. 5, lines 65-67 and col. 6, lines 1-10). Tiedemann, Jr. teaches producing the pilot strength measurement message including measurement data based on at least one of either a number of pilot signals in the active set, and a number of pilot signals in the candidate set (see col. 6, lines 4-10 & 25-45). Tiedemann, Jr. does not specifically teach receiving long term filtered measurement data and short term filtered measurement data corresponding to pilot signals; and producing a pilot strength measurement message based on one of long term filtered measurement data and short term filtered measurement data. Pan teaches a using long term filtered measurement data or short term filtered measurement data according to the signal strength and characteristic of received pilot signals (see paragraphs [0038] – [0040], response time of filter relates to long term or short term measurement data).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include receiving long term filtered measurement data and short term filtered measurement data corresponding to pilot signals; and producing a pilot strength measurement message based on one of long term filtered measurement data and short term filtered measurement data because the measurement data generated from the received pilot signals in Tiedemann, Jr. (see Tiedemann, Jr. col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23) can be filtered long or short term and the combination would allow for the improved optimization of handoff and system access that both references are concerned with (see Tiedemann, Jr.. col. 2, lines 62-65 and Pan, paragraph [0018]).

Art Unit: 2617

Regarding claim 17 Tiedemann, Jr. teaches a method for producing a pilot strength measurement message (see col. 6, lines 36-45). Tiedemann, Jr. teaches receiving a plurality of pilot signals (see col. 8, lines 18-22 & 56-65). Tiedemann, Jr. teaches producing measurement data corresponding to at least one of the plurality of pilot signals (see col. 6, lines 35-46 and col. 8, lines 56-65). Tiedemann, Jr. teaches producing a pilot strength measurement message based on at least the measurement data when a strongest pilot signal represented by corresponding measurement data is greater than a threshold (see col. 6, lines 41-46). Tiedemann, Jr. teaches receiving an active set of pilot signals and a candidate set of pilot signals (see col. 5, lines 65-67 and col. 6, lines 1-10). Tiedemann, Jr. teaches producing the pilot strength measurement message including measurement data based on at least one of a number of pilot signals in the active set, and a number of pilot signals in the candidate set (see col. 6, lines 4-10 & 25-45). Tiedemann, Jr. does not specifically teach producing long term filtered measurement data and short term filtered measurement data corresponding to pilot signals; and producing a pilot strength measurement message based on one of long term filtered measurement data and short term filtered measurement data. Pan teaches using long term filtered measurement data or short term filtered measurement data according to the signal strength and characteristic of received pilot signals (see paragraphs [0038] – [0040], response time of filter relates to long term or short term measurement data).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include producing long term filtered measurement data and short term filtered measurement data corresponding to pilot signals; and producing a pilot strength measurement message based on one of long term filtered measurement data and short

Art Unit: 2617

term filtered measurement data because the measurement data generated from the received pilot signals in Tiedemann, Jr. (see Tiedemann, Jr. col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23) can be filtered long or short term and the combination would allow for the improved optimization of handoff and system access that both references are concerned with (see Tiedemann, Jr.. col. 2, lines 62-65 and Pan, paragraph [0018]).

Regarding claim 19 Tiedemann, Jr. teaches receiving an active set of pilots and a candidate set of pilot signals (see col. 5, lines 65-67 and col. 6, lines 1-10). Tiedemann, Jr. teaches producing the pilot strength measurement message including measurement data when the strongest pilot signal represented by corresponding measurement data is less than a first drop threshold and greater than a second threshold and at least one of when a number of candidate pilots is greater than one, and either when a number of active pilots is greater than one (see col. 6, lines 36-45). Tiedemann, Jr. does not specifically teach long term filtered measurement data. Pan teaches a using long term filtered measurement data according to the signal strength and characteristic of received pilot signals (see paragraphs [0038] – [0040], response time of filter relates to long term or short term measurement data). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include long term filtered measurement data because the measurement data generated from the received pilot signals in Tiedemann, Jr. (see Tiedemann, Jr. col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23) can be filtered long or short term and the combination would allow for the improved optimization of handoff and system access that both references are concerned with (see Tiedemann, Jr.. col. 2, lines 62-65 and Pan, paragraph [0018]).

Art Unit: 2617

Regarding claim 22 Tiedemann, Jr. teaches wherein the pilot strength measurement message generator is operative to receive measurement data corresponding to at least one pilot signal, and wherein the pilot strength measurement message further includes at least measurement data if a strongest pilot signal represented by corresponding measurement data is less than a threshold (see col. 6, lines 36-47 and col. 8, lines 56-65). Tiedemann, Jr. does not specifically teach using short term filtered measurement data. Pan teaches using short term filtered measurement data or short term filtered measurement data according to the signal strength and characteristic of received pilot signals (see paragraphs [0038] – [0040], response time of filter relates to long term or short term measurement data). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include using short term filtered measurement data because the measurement data generated from the received pilot signals in Tiedemann, Jr. (see Tiedemann, Jr. col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23) can be filtered long or short term and the combination would allow for the improved optimization of handoff and system access that both references are concerned with (see Tiedemann, Jr.. col. 2, lines 62-65 and Pan, paragraph [0018]).

Regarding claim 23 Tiedemann, Jr. teaches a circuit for producing a pilot strength measurement message (see col. 6, lines 41-46). Tiedemann, Jr. teaches a pilot strength measurement message generator operative to receive measurement data corresponding to at least one pilot signal, and in response, operative to produce a pilot strength measurement message (see col. 6, lines 41-46 and col. 8, lines 56-65). Tiedemann, Jr. teaches wherein the pilot strength measurement message includes measurement data based on at least one of a number of pilot signals in an active set and a number of pilot signals in a candidate set (see col. 8, lines 56-65).

Art Unit: 2617

Tiedemann, Jr. does not specifically teach a pilot strength measurement message operative to receive both long term filtered measurement data and short term measurement data corresponding to at least one pilot signal. Pan teaches a using long term filtered measurement data or short term filtered measurement data according to the signal strength and characteristic of received pilot signals (see paragraphs [0038] – [0040], response time of filter relates to long term or short term measurement data).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include a pilot strength measurement message operative to receive both long term filtered measurement data and short term measurement data corresponding to at least one pilot signal because the measurement data generated from the received pilot signals in Tiedemann, Jr. (see Tiedemann, Jr. col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23) can be filtered long or short term and the combination would allow for the improved optimization of handoff and system access that both references are concerned with (see Tiedemann, Jr.. col. 2, lines 62-65 and Pan, paragraph [0018]).

Regarding claim 24 Tiedemann, Jr. and Pan teach a device as recited in claims 19 and 22 and is rejected given the same reasoning as above.

Regarding claim 25 Tiedemann, Jr. and Pan teach a device as recited in claim 13 and is rejected given the same reasoning as above.

Regarding claim 26 Tiedemann, Jr. teaches a wireless device for producing a pilot strength measurement message (see col. 6, lines 41-45). Tiedemann, Jr. teaches a first receiver operative to receive at least one of an active pilot signal and operative to generate measurement data (see col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23). Tiedemann, Jr. teaches a second

Art Unit: 2617

receiver also operative to receive the at least one of the active pilot signal, and in response, operative to generate corresponding measurement data (see col. 8, lines 56-65). Tiedemann, Jr. teaches a pilot strength measurement message generator, operatively coupled to the first receiver and to the second receiver, and operative to produce the pilot strength measurement message (see col. 6, lines 41-45). Tiedemann, Jr. teaches wherein the pilot strength measurement message includes measurement data if a strongest pilot signal represented by the measurement data is greater than a threshold or at least of measurement data of a strongest pilot signal represented by corresponding measurement data is less than a threshold (see col. 6, lines 35-50). Tiedemann, Jr. does not specifically teach a first receiver generating long term filtered measurement data; a second receiver generating short term measurement data; and a pilot strength measurement message including either long term filtered measurement data or short term filtered measurement data based upon if received pilot signals are greater than or less than a threshold. Pan teaches using long term filtered measurement data or short term filtered measurement data according to the signal strength and characteristic of received pilot signals (see paragraphs [0038] – [0040], response time of filter relates to long term or short term measurement data).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include a first receiver generating long term filtered measurement data; a second receiver generating short term measurement data; and a pilot strength measurement message including either long term filtered measurement data or short term filtered measurement data based upon if received pilot signals are greater than or less than a threshold because the measurement data generated from the received pilot signals in Tiedemann, Jr. (see Tiedemann, Jr. col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23) can be filtered long or

Art Unit: 2617

short term and the combination would allow for the improved optimization of handoff and system access that both references are concerned with (see Tiedemann, Jr.. col. 2, lines 62-65 and Pan, paragraph [0018]).

Regarding claim 27 Tiedemann, Jr. teaches wherein the at least one pilot signal includes at least one of an active set of pilot signals and a candidate set of pilot signals (see col. 5, lines 65-67 and col. 6, lines 1-10). Tiedemann, Jr. teaches wherein a pilot strength measurement message includes at least measurement data based on at least one of a number of pilot signals in an active set and a number of pilot signals in a candidate set (see col. 8, lines 56-65).

Tiedemann, Jr. does not specifically teach long term filtered measurement data or short term measurement data; and a pilot strength measurement message including either long term filtered measurement data or short term filtered measurement. Pan teaches using long term filtered measurement data or short term filtered measurement data according to the signal strength and characteristic of received pilot signals (see paragraphs [0038] – [0040], response time of filter relates to long term or short term measurement data). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include long term filtered measurement data or short term measurement data; and a pilot strength measurement message including either long term filtered measurement data or short term filtered measurement because the measurement data generated from the received pilot signals in Tiedemann, Jr. (see Tiedemann, Jr. col. 7, lines 64-67 and col. 8, lines 1-8 & 20-23) can be filtered long or short term and the combination would allow for the improved optimization of handoff and system access that both references are concerned with (see Tiedemann, Jr.. col. 2, lines 62-65 and Pan, paragraph [0018]).

Regarding claim 28 Tiedemann, Jr. and Pan a device as recited in claim 13 and is rejected given the same reasoning as above.

Response to Arguments

V. Applicant's arguments filed 2/26/2008 have been fully considered but they are not persuasive.

Regarding claims 11, 13-14, 17, 19, and 22-28 the combination of Tiedemann, Jr. and Pan teach a device as claimed.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., generating a pilot strength measurement message that includes measurement data if a strongest pilot signal represented by the measurement data is less than a first threshold and greater than a threshold and if at least one of the number of candidate pilots is greater than three and the number of active pilots is greater than one) are not recited in the rejected claim(s).

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

In addition, claims 11, 14, and 19 have been rejected under 35 U.S.C. 112, second paragraph for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention and as such the art rejection is based on the best possible claim interpretation in light of the rejections under 35 U.S.C. 112, second paragraph.

Art Unit: 2617

VI. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Conclusion

VII. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **BRANDON J. MILLER** whose telephone number is (571)272-7869. The examiner can normally be reached on Mon.-Fri. 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, George Eng can be reached on 571-272-7495. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2617

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/George Eng/
Supervisory Patent Examiner, Art Unit 2617

May 13, 2008

/Brandon J Miller/
Examiner, Art Unit 2617